

# Foreign Source Software

**Systems & Software Technology Conference  
April 2009**

**Presented by:  
Jennifer Guild**

# Reality

- Almost all software, proprietary as well as open source, has some form of foreign involvement
- Foreign influences in modern software negatively effects the DoD's security

# Information Technology Culture

- In the past, proprietary software was typically developed using in-house resources
- Now, most companies have at least part of their development off-shore
- Systems use components developed by external sources



# Proprietary

- Proprietary software is developed and owned by a commercial entity, and sold or licensed
- Proprietary software may not be redistributed without permission of the owner of the software

# Open Software

- Any application developed as a public collaboration or whose source code is made available to be freely shared, used, modified, improved, or redistributed
- Open source software may be distributed at no cost or may be sold as a “commercial” product
  - No cost – CentOS
  - Commercial – Red Hat

# COTS

- Commercial Off-The-Shelf(COTS) products may be either proprietary or open source
  - Ex: Red Hat Enterprise Linux v5 (RHEL5) is open source but distributed by Red Hat
- Software which was previously produced in proprietary form can become available as open source
  - Ex: Solaris went from proprietary source in Solaris 8 to open source in Solaris 10



# Software Development

- Open source software development
  - Anyone can make changes
  - Changes to the source tree generally occur via a community vetting process
- Commercial, proprietary software normally has no such “community” vetting process

# Vulnerabilities

- Usually defined:
  - Errors in the software requirements or implementation
  - A weakness in process, administration, or technology that can be exploited
- Probably exists in all source code regardless of its nature



# Malicious Software

- Embedded, modified source code, or application
- Intentionally malicious
- Subverts intended operation, of the system, possibly covertly
- Maliciously embedded source code is equally likely in open source software and proprietary software

# “Needle in the Haystack”

- Most software applications are at least 1 million lines of code in size
  - XP has 40 million lines
  - RHEL5 has 30 million lines
- US Naval Postgraduate School project to subvert a kernel in as few lines as possible
  - A student inserted 8 lines total (5 lines in one location, 3 in another) into the Linux kernel
  - Successfully subverted several million line kernel

# Code Review

- Not feasible to evaluate the assurance of source code to reveal any malicious intent
- As number of lines of source code increase:
  - Complexity increases
  - Increase misuse of principle of least privilege
  - Percentage of source code that can be reviewed per year decreases



# Risk Mitigations

For proprietary and open source software:

- Undergo verification and validation testing during evaluation or certification process
  - Should reveal known vulnerabilities
  - Mitigations can be instituted prior to implementation
- Follow good configuration management processes and software engineering practices

# Risk Mitigations (continued)

- Open source approaches do allow the potential for discovering how data is being processed, the protocols being utilized, and communication channels
- Mitigations may be put in place prior to the software's implementation



# Configuration Management (CM) Identification of Vulnerabilities

- Identify configuration based vulnerabilities
  - Responsible for roughly half of the vulnerabilities detected in systems
- Proactively managing systems by deploying, base-lining, and monitoring effective standardized, security configurations allows for the potential of identifying vulnerabilities
  - Integrity checking software to determine if key files have been modified from baseline configuration



# CM potential for Malware

- Potential for preventing the **subversion of the supply chain** of software components
  - Libraries
- Good CM processes for both software and systems
  - Can decrease the potential of the insertion of malware

# Assumptions

- Requirement for stronger software assurance
  - Information sharing links more information infrastructure together
  - Majority of DoD systems are low assurance
- No one size fits all solution
- Each situation must be assessed to determine if it requires high, medium, or low assurance

# Technical Assurance Level

- Low assurance requirements
  - Validation and verification evaluation
- Medium assurance requirements
  - Review configuration management
  - Enforce good software engineering practices
  - Detect review
  - Random source review



# High Assurance

- Requirement for software to perform only what is specified without fail
- Requires formal methods, or mathematical proofs of security properties of the software
  - Normally conducted on the security relevant aspects of software
  - Do not necessarily mitigate foreign involvement or incorrect/invalid assumptions
- Proofs are evaluation and certification artifacts that can be reviewed by the community

# Summary Considerations

- What is the extent of foreign involvement in software used by the DoD?
- What are the associated Information Assurance (IA) concerns?
- Are there possible mitigations for those concerns?

# Questions?

- Jennifer Guild
- [jennifer.guild@navy.mil](mailto:jennifer.guild@navy.mil)
- 843-218-4879